* **IMPORTANT** * Applicants must complete the following:

ON THE PLAN BELOW: (please see the example)


- Indicate the approximate location of the house and approach/entrance.
- Indicate the dust suppression treatment area along the County road.
- Indicate how many metres of dust suppression you require on each side of the approach.

AT YOUR PROPERTY:

- County crews will put stakes up at your property to identify where the product will be placed.
 Do not move these stakes. Contact the County office (780-939-4321) to request changes.
- Your municipal address sign <u>must</u> be posted.
- Dust Suppression is typically applied starting in late spring (weather permitting).

Dust suppression will be applied as per placement of stakes and the submitted plan. Sturgeon County reserves the right to adjust the section length to the agreed amount should a discrepancy exist. Where no length is specified, the default application is 50 metres on each side of the approach.

e the product will be placed. 0-4321) to request changes. er permitting). Sturgeon County reserves the right to adjust his specified, the default application is 50 metres on



Dust Suppression 2024

Application and Information

Early bird deadline April 16, 2024

A late fee of \$100 is applied to orders received after that date.

No orders will be accepted after May 17, 2024.

The cost to apply dust suppression is shared between the County and applicant. Fees vary based on the type of suppressant used and the length of application.

PLEASE NOTE:

- Applying dust suppression products can help reduce dust on gravel roads, but it does not eliminate it.
- •The first 100 metres of dust suppression is subsidized by the County. The 2024 subsidy is \$775 per resident. Additional length may be purchased in 10m increments, up to 100m, at full cost.
- Application forms are processed in the order they are received. Your neighbour's stakes may appear earlier than yours.
- **Do not move County stakes once placed.** Call 780-939-4321 to request changes.
- Sturgeon County may undertake work on any treated areas to maintain a safe driving surface.
- It is the customer's responsibility to notify the County if calcium requires maintenance. You can use the app: transfeedback.sturgeoncounty.ca

Questions? Contact:

Transportation & Engineering Services

www.sturgeoncounty.ca/dust-suppression Call: 780-939-4321 | Toll Free: 1-866-939-9303 Email: DustSuppression@sturgeoncounty.ca

2024 Sturgeon County Dust Suppression Application Form

Name:

Municipal Address:

Mailing Address:

Postal Code:

Municipality:

Telephone:

OIL		MINERAL OIL		CALCIUM	
Minimum 100m	\$4,940	Minimum 100m	\$1,872	Minimum 100m	\$1,180
Subsidy	-\$775	Subsidy	-\$775	Subsidy	-\$775
SUBTOTAL	\$4,165	SUBTOTAL	\$1,097	SUBTOTAL	\$405
Extram at \$494/10m	\$	Extram at \$187.20/10m	\$	Extram at \$118/10m	\$
Add <mark>\$100</mark> Late Fee Apr 17-May 17	\$	Add <mark>\$100</mark> Late Fee Apr 17-May 17	\$	Add <mark>\$100</mark> Late Fee Apr 17-May 17	\$
TOTAL PAYMENT	\$	TOTAL PAYMENT	\$	TOTAL PAYMENT	\$
Oil applications require the submission of the "Oil Dust Suppression Fact Sheet and Application Consent".The personal information provided will be used to p under the authority of Section 33 (c) of the Freedom have any questions about the collection and use of t FOIP Access and Privacy Advisor at 9613-100 Street, email foip@sturgeoncounty.ca				Information and Personal Privacy (I	
and Application Cons You can download the fo	sent". rm or call	FOIP Access and Privacy Advisor a	ection and use of this	s information, please contact the Stu orinville, Alberta, T8R 1L9, by phone	Irgeon County
and Application Cons You can download the fo 780-939-4321 to reque	sent". rm or call est one.	FOIP Access and Privacy Advisor a email foip@sturgeoncounty.ca	ection and use of this t 9613-100 Street, M	s information, please contact the Stu orinville, Alberta, T8R 1L9, by phone OFFICE USE ONLY	Irgeon County

Payment By 🛛 **Visa**

□ MC □ Cheque □

Debit (In	Person	Only)
-----------	--------	-------

Credit Card No._____

_ Exp.___